

# Sample&Pattern Pack

Produced by Hans-Peter Henkel („HaPe“)

Featured by Yamaha Music Europe GmbH

<http://www.easysounds.de/>  
[sales@easysoundsshop.de](mailto:sales@easysoundsshop.de)

# SEQTRAK „LD“

## TABLE OF CONTENTS

<u>Introduction</u>	<u>3</u>
<u>Loading the Content</u>	<u>4</u>
<u>Importing Samples</u>	<u>5</u>
<u>Additional Information</u>	<u>6</u>
<u>Content</u>	<u>7</u>

# SEQTRAK „LD“

## The Content of SEQTRAK „LD“:

- 31 User Samples (30 Drum Samples, 1 Synth Bell Sample)
- 1 Demo Project „LD Vintage Moods“ ([YouTube Video](#))
- 4 „Groove Projects“ (6 Drum Pattern each)
- 6 „Installation Projects“ (1 Demo Pattern each, description follows)

SEQTRAK „LD“ is a sound and pattern pack for Yamaha SEQTRAK. The main part consists of 30 user samples that are intended to emulate the sound of the legendary [LinnDrum](#) drum machine.

The drum samples were not recorded directly from a LinnDrum, but were manually reprogrammed based on original samples and processed accordingly using various tools. The results of this work were then sampled afterwards.

The “installation projects” are prepared for importing the already categorized and post-processed samples. If samples are imported individually, categorization is part of the import. Each of these projects contains a demo pattern that presents the imported sounds in a musically meaningful context.

The “Groove Projects” contain different patterns that you can use and/or edit directly.

 Please note:

**It is highly recommended to read the „[Loading the Content](#)“ section before importing projects or samples.**

There you will find all the important information on importing projects as well as separately importing samples for your own - possibly already existing - projects. All information is based on SEQTRAK firmware version 1.10.4 and app version 1.0.1 on Mac OS and is current as of March 2024. Please check back at a later date and other versions if necessary about any changes or additions.

Enjoy SEQTRAK „LD“!

# SEQTRAK „LD“

## Loading the Content

### REQUIREMENTS

To transfer projects to SEQTRAK, the desktop version of the SEQTRAK app (Windows, Mac OS) is required. The iOS/Android version does not support importing an external project. In addition, the projects use many features of the SEQTRAK firmware v1.10. If you are still using an older firmware version, an update is required.

You can find the current version of the SEQTRAK app, the current firmware version and corresponding instructions in the download area of the SEQTRAK product page.

#### [SEQTRAK Downloads](#)

To install content, we recommend a direct connection using the included USB cable. The following link also provides information about [all available connection types](#).

After installing the app and a successful connection, a message will appear at the bottom right if necessary that a firmware update is available, which can be installed very easily via this method. This procedure requires a stable internet connection.

### TYPES OF PROJECTS

In the content overview, different terms were used for the projects. Below is a brief explanation.

The “Installation Projects” have been prepared to install all drum samples with categories already assigned to SEQTRAK. In addition, the sounds were saved with post-processing by SEQTRAK effects and parameters. When all installation projects are imported, all drum samples included in the pack are imported and can be integrated directly into your own projects via their corresponding categories. The installation projects can then be deleted; the sounds/samples remain in the SEQTRAK flash memory. If you want to import the samples yourself completely or partially, both the assignment of a category per sample and the post-processing must be done manually.

The “Groove Projects” each contain six drum patterns. A maximum of seven drum sounds can be imported with each project. If, for example, only these groove projects are imported, not all available samples will be included in the instrument.

The “demo project” also only contains seven drum samples and one synth bell sample that was produced using the SEQTRAK resampling feature.

Accordingly, we recommend that you first install the installation projects once and, if necessary, delete them again immediately. The other projects can then be loaded and deleted as desired; the sounds/samples remain in the SEQTRAK flash memory.

#### Attention:

**A factory reset will delete all content from the instrument's memory!**

If you would like to specifically import only some of the sounds or samples, you will find a detailed overview in the section [„Content“](#).


# SEQTRAK „LD“

## PROJECT IMPORT


There are two ways to import a project. After starting the app, select:

- „PROJECT/SOUND MANAGER“ > „PROJECTS“

You can drag the project file directly from your file system to a SEQTRAK project slot.



Alternatively, the project can first be imported into the “BACKUP PROJECTS” area. This requires a right-click on an existing project to enable the import.



If necessary, we have prepared a video, which you can access via the following link:

[SEQTRAK Project Import \(YouTube\)](#)


# SEQTRAK „LD“

## IMPORT OF SAMPLES

The samples can also be imported without the project. After starting the app, select:

- „PROJECT/SOUND MANAGER“ > „SOUNDS“

You can drag the samples directly from your file system to the SOUNDS section.




You can also find a video about this via the following link:

[SEQTRAK Sample Import \(YouTube\)](#)

The samples contain an underscore at the end of the name (“Example1\_.wav”). This is included during the import and makes it easy to distinguish the imported samples from others and makes it easier to give names after the sounds have been edited. For example, you could simply delete the underscore for an edited sound.

## PROJECT „LD VINTAGE MOODS“

With the help of „[Song Mode](#)“ the demo project can be played in its original version, which corresponds to the video. Song mode is activated using the following key combination:



Then start the project. Changing scenes occurs automatically. If you repeat the shortcut shown above, you activate „[Scene Mode](#)“, which allows you to select the scenes manually.

# SEQTRAK „LD“

## Additional Information

### General

A big variety of documents and videos is available to support your work with SEQTRAK. Below you will find a compilation of resources currently available (March 2024). You can access them via links directly from this document (Internet connection required).

### Manuals & Guides

[SEQTRAK User Guide \(HTML\)](#)

[SEQTRAK User Guide \(PDF\)](#)

[SEQTRAK Quick Operation Guide](#)

[SEQTRAK Safety Guide](#)


[SEQTRAK Data List](#)

[SEQTRAK Essential Knowledge Guide](#)

### Videos

All official Yamaha SEQTRAK product videos can be found in the following YouTube playlist:

[SEQTRAK Product Videos](#)



## „SEQTRAK LD“ Sample List

No.	Category	Sample Name	Preset/ User	Size (MB)	Comments
1	WORLD	LD Cabasa_.wav	User	0,01	Drum
2	CLAP	LD Clap_.wav	User	0,02	Drum
3	CONGA/BONGO	LD Conga Extra High_.wav	User	0,02	Drum
4	CONGA/BONGO	LD Conga Extra Low_.wav	User	0,06	Drum
5	CONGA/BONGO	LD Conga High_.wav	User	0,02	Drum
6	CONGA/BONGO	LD Conga Low 1_.wav	User	0,04	Drum
7	CONGA/BONGO	LD Conga Low 2_.wav	User	0,05	Drum
8	CONGA/BONGO	LD Conga Mid_.wav	User	0,03	Drum
9	BELL	LD Cowbell_.wav	User	0,01	Drum
10	CRASH	LD Crash_.wav	User	0,06	Drum
11	SNARE	LD High Snare_.wav	User	0,02	Drum
12	CLOSED HIHAT	LD HiHat Closed Med_.wav	User	0,02	Drum
13	CLOSED HIHAT	LD HiHat Closed_.wav	User	0,01	Drum
14	CLOSED HIHAT	LD HiHat Extra Short_.wav	User	0,01	Drum
15	OPEN HIHAT	LD HiHat Open_.wav	User	0,06	Drum
16	KICK	LD Kick Special_.wav	User	0,01	Drum
17	KICK	LD Kick_.wav	User	0,01	Drum
18	SNARE	LD Low Snare_.wav	User	0,02	Drum
19	RIDE	LD Ride_.wav	User	0,26	Drum
20	RIM	LD Side Stick High_.wav	User	0,01	Drum
21	RIM	LD Side Stick Low_.wav	User	0,02	Drum
22	RIM	LD Side Stick_.wav	User	0,01	Drum
23	SNARE	LD Snare_.wav	User	0,02	Drum
24	SNARE	LD SnareXZ_.wav	User	0,02	Drum
25	TAMBOURINE	LD Tambourine_.wav	User	0,02	Drum
26	TOM	LD Tom Extra High_.wav	User	0,02	Drum
27	TOM	LD Tom Extra Low_.wav	User	0,11	Drum
28	TOM	LD Tom High_.wav	User	0,02	Drum
29	TOM	LD Tom Low_.wav	User	0,08	Drum
30	TOM	LD Tom Mid_.wav	User	0,03	Drum
31	SAMPLER (REC. SOUND)	LD ReSEQBell	User	?	SEQTRAK Resampling



## SEQTRAK „LD 1 (Installation)“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD Snare	User	0,02	
CLAP	LD Clap	User	0,02	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Cowbell	User	0,01	
PERC2	LD Cabasa	User	0,01	

## SEQTRAK „LD 2 (Installation)“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick Special	User	0,01	
SNARE	LD Low Snare	User	0,02	
CLAP	LD High Snare	User	0,02	
HAT 1	LD HiHat Closed Med	User	0,02	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Tom Extra High	User	0,02	
PERC2	LD Tom High	User	0,02	

## SEQTRAK „LD 3 (Installation)“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD SnareXZ	User	0,02	
CLAP	LD Side Stick	User	0,01	
HAT 1	LD HiHat Extra Short	User	0,01	
HAT 2	LD Ride	User	0,26	
PERC 1	LD Tom Mid	User	0,03	
PERC2	LD Tom Low	User	0,08	

## SEQTRAK „LD 4 (Installation)“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick Special	User	0,01	
SNARE	LD High Snare	User	0,02	
CLAP	LD Side Stick High	User	0,01	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD Conga Extra High	User	0,02	
PERC 1	LD Conga High	User	0,02	
PERC2	LD Conga Mid	User	0,03	

## SEQTRAK „LD 5 (Installation)“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick Special	User	0,01	
SNARE	LD High Snare	User	0,02	
CLAP	LD Side Stick Low	User	0,02	
HAT 1	LD HiHat Extra Short	User	0,01	
HAT 2	LD Conga Low 1	User	0,04	
PERC 1	LD Conga Low 2	User	0,05	
PERC2	LD Conga Extra Low	User	0,06	

## SEQTRAK „LD 6 (Installation)“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD SnareXZ	User	0,02	
CLAP	LD Tambourine	User	0,02	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Crash	User	0,06	
PERC2	LD Tom Extra Low	User	0,11	

SEQTRAK „LD Vintage Grooves 1“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD Snare	User	0,02	
CLAP	LD Clap	User	0,02	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Cowbell	User	0,01	
PERC2	LD Cabasa	User	0,01	

SEQTRAK „LD Vintage Grooves 2“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD Low Snare	User	0,02	
CLAP	LD Clap	User	0,02	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Cowbell	User	0,01	
PERC2	LD Tambourine	User	0,02	

SEQTRAK „LD Vintage Grooves 3“ Sample Assignment

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD Low Snare	User	0,02	
CLAP	LD Clap	User	0,02	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Tom Extra High	User	0,02	
PERC2	LD Conga Mid	User	0,03	

## SEQTRAK „LD Latin Grooves“ Sample Assignment-1

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick Special	User	0,01	
SNARE	LD High Snare	User	0,02	
CLAP	LD Cowbell	User	0,01	
HAT 1	LD HiHat Extra Short	User	0,01	
HAT 2	LD Side Stick High	User	0,01	
PERC 1	LD Tambourine	User	0,02	
PERC2	LD Conga Mid	User	0,03	

## SEQTRAK „LD Vintage Moods“ Sample Assignment-1

Track	Sample Name	Preset/ User	Size (MB)	Comments
KICK	LD Kick	User	0,01	
SNARE	LD Low Snare	User	0,02	
CLAP	LD Clap	User	0,02	
HAT 1	LD HiHat Closed	User	0,01	
HAT 2	LD HiHat Open	User	0,06	
PERC 1	LD Conga Extra High	User	0,02	
PERC2	LD Conga Mid	User	0,03	

SEQTRAK „LD“

**Enjoy SEQTRAK “LD”!**

# EASY SOUNDS

Sounds and Samples for Digital Workstations

Peter Krischker & Hans-Peter Henkel

[sales@easysoundsshop.de](mailto:sales@easysoundsshop.de)

[www.easysounds.de](http://www.easysounds.de)

**YouTube Channel:**

<http://www.youtube.com/user/motifnews/videos>

---

## **EASY SOUNDS Newsletter**

To subscribe to the EASY SOUNDS Newsletter Guide please use the following link:

[EASY SOUNDS Newsletter](#)

This way you will stay informed about any EASY SOUNDS news, new products and releases of the Music Production Guide.