PLG150-AN
Synthbanks

"Power Generator"

"Supersynth"

"Analog Classics"

"Analog Plus"

including Plug-In Voices for MOTIF ES, MOTIF-RACK ES and S90 ES

Licensed by Yamaha Music Central Europe GmbH

http://www.easysounds.de/

vertrieb@easysounds.de

Basic Information

The synthbanks can be used basically for all synths with Plug-In Board PLG150-AN.
For the YAMAHA Synthesizer MOTIF ES, MOTIF-RACK ES and S90 ES you will receive additional Plug-In Voices including effect settings additional to Board Custom Voices.
For other synths effects like chorus, reverb and delay „must be adjusted by user.

Delivered synthbanks are converted from the optional AN1x voice library produced by YAMAHA EUROPA.

Voices can be edited with AN Expert Editor.

Loading voices to MOTIF ES / S90 ES

There are always two steps needed for loading one of the synthbanks (see next page).
First you have to load the *Board Custom Voices to the* Plug-In Board. These are the user voices of the Plug-in Board made with the AN Expert Editor. You can edit them with AN Expert Editor. The *Board Custom Voices* are „volatile", which means that you have to load them again each time after switching power off. But it can be done automatically with AUTOLOAD (see below).
After that you have to load *Plug-In Voices* (Bank „PLG...USR") to MOTIF ES / S90 ES. These voices are based on previous loaded *Board Custom Voices*, but they include additional effect settings and control destinations.
The *Plug-In Voices* are non-volatile.

You can load files alternately from Smart Media Card, USB-Device or using MOTIF ES / S90 ES Voice Editor and AN Expert Editor.
If you want to load from card or USB please copy first all files of folder „CARD MOTIF ES" or „CARD S90 ES" to Smart Media Card or USB-Device.

IMPORTANT NOTES:

Please save your Normal User Voices and Plug-in voices with file type AllVoice or All before loading the delivered AllVoice files. All kind of User Voices will be overwritten with loading procedure!

If you want to avoid overwriting existing Plug-In Voices for other installed Plug-In Boards please use MOTIF ES / S90 ES Voice Editor for transmitting Plug-In voices and select Transmit Type „Plug-in...User" only for a single bank!

Step 1 = Loading Board Custom Voices

From Smart Media Card or USB-Device:
FILE – F3 LOAD – TYPE PluginAllBulk...
(Select 1, 2 or 3 depending on the PLG-slot the board is installed to)

Alternately you can transmit *Board Custom Voices also with* AN Expert Editor. Please load the file inside folder „AN Expert Editor" to editor.
Before transmitting you have to select PLG Voice Bank (1, 2, oder 3) at MOTIF ES.

Step 2 = Loading Plug-In Voices

from Smart Media Card or USB-Device:
FILE – F3 LOAD – TYPE AllVoice
Select the file which is prepared for the used PLG-slot.
For example: File „SUPERSY2" must be used for PLG2.

Alternately you can transmit *Plug-In Voices using the* MOTIF ES / S90 ES Voice Editor. Please load the file inside folder „VoiceEditor MOTIF ES" or „VoiceEditor S90 ES" to editor.
Before transmitting you have to select PLG Voice Bank (1, 2, or 3) at MOTIF ES.
In the Voice Editor file all 3 PLG Voice banks are filled with same voices. But you should select Transmit Type „Plug-in...User" only for a single bank!

After executing above steps you can select bank „PLG1USR" (bzw. „PLG2USR" oder„PLG3USR" at MOTIF ES / S90 ES. Please press F2 BANK and DEC/NO. Then you have selected the Plug-In Voice Bank, which includes also the MOTIF ES / S90 ES effect settings.

You can select bank 036/002 for checking raw *Board Custom Voices without effects.*

Autoload:

If you want to load one special bank of this sereis automatically after switching POWER ON you can proceed this way:

- FILE – F4 RENAME
- TYPE PluginAllBulk...
- Select file (ex. ANAPLUS.W2B)
- Navigate to left using CURSOR and rename displayed fie-name to „AUTOLD1" (or „AUTOLD2" or „AUTOLD3" – depending on used slot).
- ENTER

After next time switching POWER ON *Board Custom Voices will be loaded automatically*.
Of course in UTILITY – F1 GENERAL – SF4 OTHER parameter „AutoLoad" must be set to „on" (confirming with STORE).

AN-Sequencer:

If AN Step-Sequencer or Arpeggiator is activated in Plug-in voice you can adjust tempo in ARP-Menu (F3).
You can switch off Arpeggiator/Sequencer with following steps:
EDIT – TRACK SELECT 1 – F4 NATIVE – „Arp/SEQ Sw" = off.

Loading voices to MOTIF-RACK ES

There are always two steps needed for loading one of the synthbanks.
First you have to load the *Board Custom Voices to the* Plug-In Board. These are the user voices of the Plug-in Board made with the AN Expert Editor. You can edit them with AN Expert Editor. The *Board Custom Voices* are „volatile", which means that you have to load them again each time after switching power off.
After that you have to load *Plug-In Voices* (Bank „PLG...USR") to MOTIF ES / S90 ES. These voices are based on previous loaded *Board Custom Voices*, but they include additional effect settings and control destinations. The *Plug-In Voices* are non-volatile.

IMPORTANT NOTE:
Please save your own „Plug-In Voices" with MOTIF-RACK Voice Editor, before you transmit new voices!

Step 1 = Loading Board Custom Voices

Please load the file from folder AN Expert Editor and transmit *Board Custom Voices* with AN Expert Editor.
Before transmitting you have to select PLG Voice Bank (1, 2, oder 3) at MOTIF-RACK ES.
After receiving with MOTIF-RACK ES you can save *Board Custom Voices* in UTILITY – JobSel internal with „Plug-in Save". Board Custom Voices are volatile, but using UTILITY-Job „Plug-in Load" voices can be re-loaded without making new dump from editor.

Step 2 = Loading Plug-In Voices

Please transmit *Plug-In Voices using the* MOTIF-RACK Voice Editor.
Please load the file inside folder „VoiceEditor MOTIF-RACK ES".
Before transmitting you have to select PLG Voice Bank 1, 2, or 3 (SHIFT/BANK) at MOTIF-RACK ES.
In the Voice Editor file all 3 PLG Voice banks are filled with same voices. But you should select Transmit Type „Plug-in...User" only for a single bank!

After executing above steps you can select bank „PLG1USR" (bzw. „PLG2USR" oder„PLG3USR" at MOTIF-RACK ES.
Then you have selected the Plug-In Voice Bank, which includes also the MOTIF ES / S90 ES effect settings.

You can select bank 036/002 for checking raw *Board Custom Voices without effects.*

If AN Step-Sequencer or Arpeggiator is activated in Plug-in voice you can adjust tempo in ARP-Menu (F3).
You can switch off Arpeggiator/Sequencer with following steps:

Loading Voices to other Synthesizer and Tonmodules:
Motif 6 / 7 / 8, Motif-Rack, S90, Tyros, MU90, MU100R...

The synthbanks can be used basically for all synths with Plug-In Board PLG150-AN.
While for MOTIF ES, MOTIF-RACK ES and S90 ES additional Plug-In Voices including effect settings are delivered, you have to adjust effect with other synths by yourself.

Transmitting of delivered *Board Custom Voices* can be done with AN Expert Editor.
Please load file of folder „AN Expert Editor" to editor.
Before transmitting you have to select Bank 036/002 of PLG-Memory.
There you will find received voices.
Please note that *Board Custom Voices* are volatile!

In Motif 6 / 7 / 8 und S90 you can save *Board Custom Voices* with file-Type „PluginAllBulk..." to Smart Media Card. After that you can load voices after Power mit with file-Type „PluginAllBulk..." from Smart Media Card laden avoiding to transmit them each time with AN Expert Editor.

If you want to load one special bank of this sereis automatically after switching POWER ON you can proceed this way:

- FILE – F4 RENAME
- TYPE PluginAllBulk...
- Select file (ex. ANAPLUS.W2B)
- Navigate to left using CURSOR and rename displayed file-name to „AUTOLD1" (or „AUTOLD2" or „AUTOLD3" – depending on used slot).
- ENTER

After next time switching POWER ON *Board Custom Voices will be loaded automatically*.
Of course in UTILITY – F1 GENERAL – SF4 OTHER parameter „AutoLoad" must be set to „on" (confirming with STORE).

For editing *Board Custom Voices* with effects please select bank „PLG1USR" (or „PLG2USR" oder„PLG3USR").
There you can first select *Board Custom Voices (EDIT - Osc - Bank/Number)* as elements.
After that you can edit effects.

If you have not enough experience using PLG-Memory you can download Plug-In Guides here for free:

http://www.yamahasynth.com/download/plg_series.html

Voicelist: PLG150-AN „Super Synth"

1	Co	_Knob-POP		33	Ba	_R o b o
2	Co	_Get DATA		34	Ba	_SwingnBass
3	Pd	_S t a r		35	Ba	_HeartAttck
4	Ld	_Fat Fifth		36	Ba	_Smack
5	Sc	_Squatter		37	Ba	_KnifeEdg
6	Co	_RunFever		38	Ba	_Progress
7	Pd	_Soundtrack		39	Ba	_Fat Frog
8	Br	_PopHorn		40	Ld	_Mini
9	Sc	_AnalogFlow		41	Co	_Moogium
10	Sc	_GumTech		42	Ld	_80thGhos
11	Pd	_DreamCream		43	Ld	_SyncLead
12	SC	_Flake&Milk		44	Ld	_HollowLead
13	Sc	_SyncScrech		45	Ld	_AsianReed
14	Sc	_ProfiChord		46	Ld	_DevilsRide
15	Pd	_PlayMajor!		47	Co	_Wavelets
16	Sc	_Monstrance		48	Br	_S h a r k
17	Co	_HeadLiner		49	Br	_AN1xHorn
18	Kb	_Moonlight		50	Br	_SuperStabs
19	Kb	_TeeTime		51	Br	_B o n e s
20	Sc	_Squell		52	Br	_Highlands
21	Sc	_EmbrGlance		53	Br	_MorphBrass
22	Sc	_SkyHarp		54	Br	_Allpass
23	Sc	_Clave		55	Br	_Packman
24	Sc	_Mystique		56	Cp	_Synthophn
25	Pd	_Pediment		57	Sc	_CableCrack
26	Pd	_SweepMod		58	Sc	_Melange
27	Pd	_OXYGEN'76		59	Sc	_OldMelody
28	Pd	_BigBlue		60	Sc	_PulseSeq
29	St	_FineStrn		61	Sc	_CutMachine
30	Pd	_V o i c e		62	Pd	_InsideGlas
31	Co	_MeanOfSine		63	Me	_IronTube
32	Ba	_HighTech		64	Me	_Rainy Day

Voicelist: PLG150-AN „Analog Plus"

#	Cat	Name
1	Me	_Padlogic
2	Sc	_FM Board
3	Me	_VirtModula
4	Sc	_MicroTake
5	Sc	_RaveSyn1
6	Sc	_RaveSyn2
7	Sc	_Noizemake1
8	Sc	_Noizemake2
9	Sc	_SynClavi
10	Sc	_PureDX7II
11	Sc	_LA Pulse
12	Sc	_PPG1x
13	Cp	_FM Danz
14	Me	_WaveTable1
15	Me	_WaveTable2
16	Me	_VS Art
17	Se	_Jarre Trip
18	Me	_PulseMod
19	Me	_Fuzzmatic
20	Me	_Disko
21	Me	_Ambience
22	Me	_Machine
23	Ld	_StakkDanz
24	Sc	_Morpher1
25	Sc	_Morpher2
26	Sc	_SyncLoop
27	Sc	_NotchScene
28	Sc	_Tubular
29	Me	_MorphBack
30	Me	_LFO Mania
31	Sc	_TrancHarp
32	Sc	_Synthetik

#	Cat	Name
33	Ba	_Metal
34	Ba	_Add Sync
35	Ba	_FatTek
36	Ld	_MorphSyn
37	Me	_Belltris
38	Me	_FlangBox
39	Ld	_Mr.Funny
40	Ld	_Sharping
41	Cp	_Caribean
42	Me	_PWM Loop
43	Me	_Shaper
44	Sc	_Crispey
45	Sc	_Popz
46	Sc	_DX Simpl
47	Ld	_Monica
48	Pd	_Cold Ice
49	Pd	_LezliLair
50	Sc	_Waldorf
51	Sc	_SessionFnk
52	Ld	_HipHop
53	Kb	_ResoNett
54	Kb	_Syncoforte
55	Br	_DigiSlap
56	Kb	_Spectral
57	Me	_SpaceDuo
58	Se	_Up&Down
59	Se	_SciShot
60	Se	_Erasure
61	Me	_Danz Trax
62	Sc	_PPG Board
63	Ld	_Techno
64	Ld	_Elektronik

Voicelist: PLG150-AN „Analog Classics"

1	Co	_ClassArp		33	Br	_SlowBrass
2	Pd	_WarmOctave		34	Br	_SlowSweep
3	Ba	_Cream		35	Br	_FatBrass
4	Ld	_Minispace		36	Br	_FatOktave
5	Br	_Synbrass		37	Br	_StabBrass
6	Sc	_BigReso		38	Ba	_PWMStrings
7	St	_SawStrings		39	Ba	_WarmEnsmbl
8	St	_Dreaming		40	St	_Solina 99
9	Co	_PhazeArp		41	St	_OctStrings
10	Pd	_Slow Wheel		42	St	_Fairy
11	Ba	_FatVelo		43	St	_NewFaze
12	Ld	_Funki		44	St	_1xPad
13	Br	_Oberhorn		45	St	_Noisy Pad
14	Sc	_PercuSyn		46	St	_FiveDrive
15	St	_OrchStrg		47	Sc	_Velomoog
16	Co	_LFO-Line		48	Sc	_Motif
17	Ba	_PulsPunc		49	Sc	_ShortSyn
18	Ba	_Easy		50	Sc	_PolyPerc
19	Ba	_Wide		51	Sc	_FMSyn
20	Ba	_ThickBas		52	Sc	_Composer
21	Ba	_Bassline		53	Sc	_PulsyArp
22	Ba	_SoulTouch		54	Sc	_SoftArp
23	Ba	_FullBass		55	Sc	_PercuArp
24	Ba	_MoogPluz		56	Sc	_Magical
25	Ld	_Fusion		57	Sc	_NoFilter
26	Ld	_VCF Quac		58	Sc	_ThickSQ
27	Ld	_Mann		59	Sc	_PercSQ
28	Ld	_SuperHook		60	Kb	_FunkClavi
29	Ld	_OB8Solo		61	Kb	_PW-Clavi
30	Ld	_Saw1osc		62	Cp	_Ringbells
31	Ld	_MoogSolo		63	Kb	_DX Harpsi
32	Ld	_MultiHook		64	Kb	_Drawbars

Voicelist: PLG150-AN „Power Generator"

1	Ld	_HardLine
2	Ba	_BigSync
3	Ba	_MassivHook
4	Ba	_The MAX
5	Ba	_HiPaLead
6	Sc	_Hi-Percusn
7	Sc	_RibbonSync
8	Ld	_Tough
9	Ld	_BasicSaw
10	Ld	_ResoBeat
11	Ld	_CheapMedia
12	Ld	_TubeDrive
13	Ld	_NoMercy
14	Ld	_FuzzSynt
15	Ld	_TorturBass
16	Ld	_TerrorBa
17	Ld	_RibbonIal
18	Ld	_TalkBox
19	Ld	_SpeekToMe
20	Ld	_RibominVox
21	Ld	_Moonshin
22	Ld	_3rdLove
23	Ld	_Sirena
24	Ba	_BlastBass
25	Ba	_DrumBass
26	Ba	_PhatPuls
27	Ba	_Organic
28	Ba	_Fat 5th
29	Ba	_Droned
30	Ba	_PWM Bass
31	Ba	_WetBass
32	Ba	_HoodBass

33	Ba	_Brot&But
34	Cp	_HardCore
35	Co	_SoftPluck
36	Co	_HardPluck
37	Co	_RoughChord
38	Co	_DarkChord
39	Co	_HysteriCho
40	Co	_PickChord
41	Co	_DriftChord
42	St	_GoldStrinx
43	St	_PlasticFaz
44	St	_ParaKitsch
45	St	_PassBy
46	Me	_BigSweep
47	Se	_DownSweep
48	Me	_TekSweep
49	Me	_FreeLoop
50	Me	_ChopAlias
51	Sc	_Pulse
52	Sc	_FM laugh
53	Sc	_ClassicE
54	Sc	_TwoPiano
55	Sc	_SynthClavi
56	Sc	_Sense !
57	Se	_NoiseDecay
58	Pd	_Truonic
59	Se	_G-Raeusch
60	Sc	_UpSawAtm
61	Se	_Reverse
62	Se	_Deep Atmo
63	Se	_TwoKicks
64	Se	_SynHat